

A Literature Review on Hybrid Electric Vehicles

Ch.Vinay Kumar, G.Arun Kumar, Dr.P.Lakshmi Supriya

^{1,2,3}assistant professor, electrical & electronics engineering department
Mahatma gandhi institute of technology, gandipet, hyderabad.

Submitted: 01-05-2021

Revised: 09-05-2021

Accepted: 10-05-2021

ABSTRACT: The presented paper discusses the evolution and advantages of Hybrid electric Vehicles. The first demonstration electric vehicles were made in the 1830s, and commercial electric vehicles were available by the end of the 19th century. The electric vehicle has now entered its third century as a commercially available product and as such it has been very successful, outlasting many other technical ideas that have come and gone. However, electric vehicles have not enjoyed the enormous success of internal combustion (IC) engine vehicles that normally have much longer ranges and are very easy to refuel. Today's concerns about the environment, particularly noise and exhaust emissions, coupled to new developments in batteries and fuel cells may swing the balance back in favor of electric vehicles.

I. INTRODUCCION

In today's world, we face the problem of dwindling fuel resources for vehicles. There is no doubt that the emission of carbon-dioxide from an automobile exhaust is a concern for the increasing rate of global warming. One of the optimistic solutions for such problems is the hybridization of the vehicle. HYBRID ELECTRIC VEHICLE is a combination of a conventional internal combustion engine and an electric propulsion system. It implies that HEV can be driven on I.C. engine as well as on electric power. HEV produces lesser emissions compared to a similar-sized gasoline car as the gasoline engine of the HEV can be geared to run at maximum efficiency. The significance of electric power train is that it runs with lesser power loss, hence improving the overall fuel economy. Hybridization of vehicles can reduce CO₂ emission and also the fuel costs. At present, hybrid electric vehicles are widely available in commercial vehicles, military vehicles and passenger cars.

Concept of Hybrid Electric Vehicle

1)Hybridization

A hybrid vehicle is a vehicle with multiple energy sources which could be separately or

simultaneously operated to propel the vehicle. Many hybridization configurations such as fuel cell, gas turbine, solar, hydraulic, pneumatic, ethanol, electric and many more were proposed over the years. Among these, the hybrid electric vehicles, integrating two technically and commercially proven and well established technologies of electric motors and I.C. engine, allowing drawing upon their individual benefits have been widely accepted by the technologies and users across the world.

1) Hybrid Electric vehicle

This is the most commonly adapted hybrid vehicle. It combines the propulsion system of an electric motor and an I.C. engine. The power supply to the electric motor comes from the onboard batteries. In a HEV, the I.C. engine combines with an electric motor which leads to a more optimal use of the engine. Driving in city traffic involves frequent starts and stops of the vehicle. During idling, the engine consumes more fuel without producing useful work thus contributing to higher fuel consumption, less efficiency and unnecessary emission from exhaust. The HEV solves the problem by switching to power transmission through the motor and shutting off the engine. This way no fuel will be consumed during idling with no exhaust emission. Another major advantage of HEV is that when fuel tank gets empty while driving the engine, the vehicle can be driven on electric power within its maximum range.

3) Various Hybrid Train Configurations

Power train of any vehicle refers to the group of components that generate power and deliver it to the road surface. Hybrid vehicles can be classified into three basic categories of power train systems which are briefly discussed below

- Series hybrid
- Parallel hybrid
- Series parallel hybrid

a) Series Hybrid




Fig.1.Series Hybrid Vehicle Layout

This is an electric power train for which an I.C. engine acts as a generator to charge batteries and provide power to the electric drive motor. These vehicles usually have a larger battery pack and larger motors with smaller I.C. engines. Series hybrids can be assisted by ultracaps, which can improve the efficiency by minimizing the losses inside the battery. They can deliver peak energy during acceleration and take regenerative energy during braking. A complex transmission between motor and wheel is not needed, as electric motors are efficient over a wide speed range. Some vehicle designs have separate electric motors for each wheel. Motor integration into the wheels has the disadvantage that the unsprung mass increases decreasing the ride performance.

Advantages of individual wheel motors include simplified traction control (no conventional mechanical transmission elements such as gearbox, transmission shafts, and differential), all wheel drive, and allowing lower floors.

b. Parallel hybrid

Parallel hybrid systems have both an internal combustion engine (ICE) and an electric motor in parallel connected to a mechanical transmission. Most designs combine a large electrical generator and a motor into one unit, often located between the combustion engine and the transmission, replacing both the conventional starter motor and the alternator. The battery can be recharged during regenerative braking, and during cruising (when the ICE power is higher than the required power for propulsion).

More mechanically complex than a series hybrid, the parallel power train is dual-driven, allowing both the combustion engine and the electric motor to propel the car. The given fig shows that the I.C. engine and motor operate in tandem. Usually the combustion engine operates as the primary means of propulsion and the electric motor acting as a backup or torque/power booster. The advantages of this are smaller batteries (less weight) and generally more efficient regenerative braking to both slow the car and capture energy while doing so. Another advantage is that it can easily be incorporated into existing vehicle models.





Fig.2.Parallel Hybrid Vehicle Layout



In this type of drive train, it is a combination of the two drive train types, allowing for the vehicle to operate as all-electric (as a series hybrid), as an all combustion vehicle, or as a combination of the two (as a parallel hybrid). This is the most complex and least efficient power train for most applications. Combined hybrid systems have features of both series and parallel hybrids. There is a double connection between the engine and the drive axle: mechanical and electrical. This split power path allows interconnecting mechanical and electrical power, at some cost in complexity.

Power-split devices are incorporated in the power train. The power to the wheels can be either mechanical or electrical or both. This is also the case in parallel hybrids. But the main principle behind the combined system is the decoupling of the power supplied by the engine from the power demanded by the driver. In a combined hybrid at lower speeds, this system operates as a series HEV, while at high speeds, where the series power train is less efficient, the engine takes over. This system is more expensive than a pure parallel system as it needs an extra generator, a mechanical split power system and more computing power to control the dual system

II. CONCLUSION

Hybrid-electric vehicles (HEVs) combine the benefits of both IC engines and electric motors and can be configured to obtain different

objectives, such as improved fuel economy, increased power, or additional auxiliary power for electronic devices and power tools. The transmission of power using freewheels and chain wheels are very cheap and reliable. One disadvantage is that driving on electric power is not a good option for a long distance travel. Though this combined power train system can become much useful in more stop and go traffic situations. With the use of this power train system, the overall fuel consumption and fuel economy is improved. Such vehicle would run on fuel but would use its electric motor to boost the power when needed. The costs of HEVs are a little more than the conventional cars but they more efficient and the exhaust emissions are less. Further the cost also can be reduced in future by extensive research on these vehicles.

REFERENCES

- [1] Satti Swami Reddy, Kola Siva Tharun, Eco Friendly Vehicle, International Journal of Engineering Trends and Technology (IJETT), 4(4), April 2013, 957-960.
- [2] Husain, Electric and Hybrid Vehicles-Design Fundamentals, Boca Raton, CRC Press, 2003.
- [3] Trajkovic, S., Tunestal, P., and Johansson, B., "Vehicle Driving Cycle Simulation of a Pneumatic Hybrid Bus Based on Experimental Engine Measurements," SAE

- Technical Paper 2010-01-0825, 2010,
doi:10.4271/201001-0825.
- [4] Statistics Canada Report: Energy Statistics Handbook – Fourth Quarter 2007, Catalogue no., Catalogue no. 57-601-X, April 2008.
- [5] Transport Canada Report: Transportation in Canada – An Overview, Catalogue no. TP 14816E, 2007.
- [6] I. Husain, Electric and Hybrid Vehicles-Design Fundamentals, Boca Raton, CRC Press, 2003.
- [7] D. J. Santini, P. D. Patterson, and A. D. Vyas, Importance of vehicle costs, fuel prices, and fuel efficiency in hybrid electric vehicle market success, Transportation Research Record, Issue 1738, pp. 11 - 19, 2000